

Linear and Integer Optimization

Theory and Practice

Third Edition

Gerard Sierksma

University of Groningen
Groningen, the Netherlands

Yori Zwols

Google
London, United Kingdom

Contents

List of Figures	xvii
List of Tables	xxiii
Preface	xxv
I Basic concepts of linear optimization	I
1.1 The company Dovetail	2
1.1.1 Formulating Model Dovetail	2
1.1.2 The graphical solution method	3
1.2 Definition of an LO-model	5
1.2.1 The standard form of an LO-model	5
1.2.2 Slack variables and binding constraints	9
1.2.3 Types of optimal solutions and feasible regions	10
1.3 Alternatives of the standard LO-model	12
1.4 Solving LO-models using a computer package	14
1.5 Linearizing nonlinear functions	16
1.5.1 Ratio constraints	16
1.5.2 Objective functions with absolute value terms	17
1.5.3 Convex piecewise linear functions	19
1.6 Examples of linear optimization models	21
1.6.1 The diet problem	22
1.6.2 Estimation by regression	24
1.6.3 Team formation in sports	26
1.6.4 Data envelopment analysis	29
1.6.5 Portfolio selection; profit versus risk	34
1.7 Building and implementing mathematical models	39
1.8 Exercises	42
I Linear optimization theory: basic techniques	
2 Geometry and algebra of feasible regions	51
2.1 The geometry of feasible regions	51

2.1.1	Hyperplanes and halfspaces	52
2.1.2	Vertices and extreme directions of the feasible region	55
2.1.3	Faces of the feasible region	58
2.1.4	The optimal vertex theorem	60
2.1.5	Polyhedra and polytopes	62
2.2	Algebra of feasible regions; feasible basic solutions	63
2.2.1	Notation; row and column indices	63
2.2.2	Feasible basic solutions	64
2.2.3	Relationship between feasible basic solutions and vertices	68
2.2.4	Degeneracy and feasible basic solutions	75
2.2.5	Adjacency	77
2.3	Exercises	79
3	Dantzig's simplex algorithm	83
3.1	From vertex to vertex to an optimal solution	83
3.2	LO-model reformulation	89
3.3	The simplex algorithm	91
3.3.1	Initialization; finding an initial feasible basic solution	92
3.3.2	The iteration step; exchanging variables	92
3.3.3	Formulation of the simplex algorithm	95
3.4	Simplex tableaus	96
3.4.1	The initial simplex tableau	99
3.4.2	Pivoting using simplex tableaus	99
3.4.3	Why the identity matrix of a simplex tableau is row-permuted	104
3.5	Discussion of the simplex algorithm	106
3.5.1	Simplex adjacency graphs	107
3.5.2	Optimality test and degeneracy	110
3.5.3	Unboundedness	112
3.5.4	Pivot rules	114
3.5.5	Stalling and cycling	115
3.5.6	Anti-cycling procedures: the perturbation method	118
3.5.7	Anti-cycling procedures: Bland's rule	120
3.5.8	Correctness of the simplex algorithm	121
3.6	Initialization	122
3.6.1	The big-M procedure	123
3.6.2	The two-phase procedure	127
3.7	Uniqueness and multiple optimal solutions	131
3.8	Models with equality constraints	136
3.9	The revised simplex algorithm	139
3.9.1	Formulating the algorithm	139
3.9.2	The product form of the inverse	141
3.9.3	Applying the revised simplex algorithm	142
3.10	Exercises	144

4	Duality, feasibility, and optimality	151
4.1	The companies Dovetail and Salmonnose	152
4.1.1	Formulating the dual model	152
4.1.2	Economic interpretation	153
4.2	Duality and optimality	154
4.2.1	Dualizing the standard LO-model	154
4.2.2	Dualizing nonstandard LO-models	155
4.2.3	Optimality and optimal dual solutions	159
4.3	Complementary slackness relations	162
4.3.1	Complementary dual variables	162
4.3.2	Complementary slackness	164
4.3.3	Determining the optimality of a given solution	167
4.3.4	Strong complementary slackness	168
4.4	Infeasibility and unboundedness; Farkas' lemma	171
4.5	Primal and dual feasible basic solutions	175
4.6	Duality and the simplex algorithm	179
4.6.1	Dual solution corresponding to the simplex tableau	180
4.6.2	The simplex algorithm from the dual perspective	182
4.7	The dual simplex algorithm	185
4.7.1	Formulating the dual simplex algorithm	187
4.7.2	Reoptimizing an LO-model after adding a new constraint	188
4.8	Exercises	190
5	Sensitivity analysis	195
5.1	Sensitivity of model parameters	195
5.2	Perturbing objective coefficients	197
5.2.1	Perturbing the objective coefficient of a basic variable	197
5.2.2	Perturbing the objective coefficient of a nonbasic variable	202
5.2.3	Determining tolerance intervals from an optimal simplex tableau	203
5.3	Perturbing right hand side values (nondegenerate case)	205
5.3.1	Perturbation of nonbinding constraints	206
5.3.2	Perturbation of technology constraints	207
5.3.3	Perturbation of nonnegativity constraints	213
5.4	Piecewise linearity of perturbation functions	216
5.5	Perturbation of the technology matrix	219
5.6	Sensitivity analysis for the degenerate case	221
5.6.1	Duality between multiple and degenerate optimal solutions	222
5.6.2	Left and right shadow prices	225
5.6.3	Degeneracy, binding constraints, and redundancy	231
5.7	Shadow prices and redundancy of equality constraints	234
5.8	Exercises	237

6	Large-scale linear optimization	247
6.1	The interior path	248
6.1.1	The Karush-Kuhn-Tucker conditions for LO-models	248
6.1.2	The interior path and the logarithmic barrier function	249
6.1.3	Monotonicity and duality	254
6.2	Formulation of the interior path algorithm	255
6.2.1	The interior path as a guiding hand	255
6.2.2	Projections on null space and row space	256
6.2.3	Dikin's affine scaling procedure	258
6.2.4	Determining the search direction	259
6.3	Convergence to the interior path; maintaining feasibility	263
6.3.1	The convergence measure	263
6.3.2	Maintaining feasibility; the interior path algorithm	265
6.4	Termination and initialization	267
6.4.1	Termination and the duality gap	267
6.4.2	Initialization	268
6.5	Exercises	273
7	Integer linear optimization	279
7.1	Introduction	279
7.1.1	The company Dairy Corp	280
7.1.2	ILO-models	281
7.1.3	MILO-models	281
7.1.4	A round-off procedure	282
7.2	The branch-and-bound algorithm	283
7.2.1	The branch-and-bound tree	283
7.2.2	The general form of the branch-and-bound algorithm	286
7.2.3	The knapsack problem	289
7.2.4	A machine scheduling problem	293
7.2.5	The traveling salesman problem; the quick and dirty method	298
7.2.6	The branch-and-bound algorithm as a heuristic	299
7.3	Linearizing logical forms with binary variables	301
7.3.1	The binary variables theorem	301
7.3.2	Introduction to the theory of logical variables	303
7.3.3	Logical forms represented by binary variables	305
7.3.4	A decentralization problem	310
7.4	Gomory's cutting-plane algorithm	312
7.4.1	The cutting-plane algorithm	313
7.4.2	The cutting-plane algorithm for MILO-models	317
7.5	Exercises	319
8	Linear network models	333
8.1	LO-models with integer solutions; total unimodularity	333
8.1.1	Total unimodularity and integer vertices	334

8.1.2	Total unimodularity and ILO-models	336
8.1.3	Total unimodularity and incidence matrices	338
8.2	ILO-models with totally unimodular matrices	345
8.2.1	The transportation problem	345
8.2.2	The balanced transportation problem	347
8.2.3	The assignment problem	349
8.2.4	The minimum cost flow problem	350
8.2.5	The maximum flow problem; the max-flow min-cut theorem	353
8.2.6	Project scheduling; critical paths in networks	361
8.3	The network simplex algorithm	367
8.3.1	The transshipment problem	367
8.3.2	Network basis matrices and feasible tree solutions	369
8.3.3	Node potential vector; reduced costs; test for optimality	372
8.3.4	Determining an improved feasible tree solution	374
8.3.5	The network simplex algorithm	375
8.3.6	Relationship between tree solutions and feasible basic solutions	378
8.3.7	Initialization; the network big-M and two-phase procedures	380
8.3.8	Termination, degeneracy, and cycling	381
8.4	Exercises	385
9	Computational complexity	397
9.1	Introduction to computational complexity	397
9.2	Computational aspects of Dantzig's simplex algorithm	400
9.3	The interior path algorithm has polynomial running time	403
9.4	Computational aspects of the branch-and-bound algorithm	404
9.5	Exercises	407
II	Linear optimization practice: advanced techniques	
10	Designing a reservoir for irrigation	413
10.1	The parameters and the input data	413
10.2	Maximizing the irrigation area	417
10.3	Changing the input parameters of the model	419
10.4	GMPL model code	420
10.5	Exercises	421
II	Classifying documents by language	423
II.1	Machine learning	423
II.2	Classifying documents using separating hyperplanes	425
II.3	LO-model for finding separating hyperplanes	428
II.4	Validation of a classifier	431

11.5	Robustness of separating hyperplanes; separation width	432
11.6	Models that maximize the separation width	434
11.6.1	Minimizing the 1-norm of the weight vector	435
11.6.2	Minimizing the ∞ -norm of the weight vector	435
11.6.3	Comparing the two models	436
11.7	GMPL model code	438
11.8	Exercises	440
12	Production planning: a single product case	441
12.1	Model description	441
12.2	Regular working hours	444
12.3	Overtime	447
12.4	Allowing overtime and idle time	449
12.5	Sensitivity analysis	451
12.6	GMPL model code	454
12.6.1	Model (PP ₂)	454
12.6.2	Model (PP ₃)	454
12.7	Exercises	455
13	Production of coffee machines	459
13.1	Problem setting	459
13.2	An LO-model that minimizes backlogs	460
13.3	Old and recent backlogs	462
13.4	Full week productions	466
13.5	Sensitivity analysis	467
13.5.1	Changing the number of conveyor belts	467
13.5.2	Perturbing backlog-weight coefficients	468
13.5.3	Changing the weights of the ‘old’ and the ‘new’ backlogs	469
13.6	GMPL model code	469
13.7	Exercises	471
14	Conflicting objectives: producing versus importing	473
14.1	Problem description and input data	473
14.2	Modeling two conflicting objectives; Pareto optimal points	474
14.3	Goal optimization for conflicting objectives	477
14.4	Soft and hard constraints	481
14.5	Sensitivity analysis	483
14.5.1	Changing the penalties	483
14.5.2	Changing the goals	483
14.6	Alternative solution techniques	484

14.6.1	Lexicographic goal optimization	485
14.6.2	Fuzzy linear optimization	488
14.7	A comparison of the solutions	489
14.8	GMPL model code	490
14.9	Exercises	491
15	Coalition formation and profit distribution	493
15.1	The farmers cooperation problem	493
15.2	Game theory; linear production games	495
15.3	How to distribute the total profit among the farmers?	499
15.4	Profit distribution for arbitrary numbers of farmers	502
15.4.1	The profit distribution	503
15.4.2	Deriving conditions such that a given point is an Owen point	505
15.5	Sensitivity analysis	506
15.6	Exercises	509
16	Minimizing trimloss when cutting cardboard	513
16.1	Formulating the problem	513
16.2	Gilmore–Gomory’s solution algorithm	516
16.3	Calculating an optimal solution	519
16.4	Exercises	521
17	Off-shore helicopter routing	523
17.1	Problem description	523
17.2	Vehicle routing problems	524
17.3	Problem formulation	526
17.4	ILO formulation	529
17.5	Column generation	530
17.5.1	Traveling salesman and knapsack problems	533
17.5.2	Generating ‘clever’ subsets of platforms	534
17.6	Dual values as price indicators for crew exchanges	536
17.7	A round-off procedure for determining an integer solution	538
17.8	Computational experiments	540
17.9	Sensitivity analysis	542
17.10	Exercises	544
18	The catering service problem	547
18.1	Formulation of the problem	547
18.2	The transshipment problem formulation	549

18.3 Applying the network simplex algorithm 552

18.4 Sensitivity analysis 555

 18.4.1 Changing the inventory of the napkin supplier 556

 18.4.2 Changing the demand 556

 18.4.3 Changing the price of napkins and the laundering costs 557

18.5 GMPL model code 558

18.6 Exercises 560

Appendices

A Mathematical proofs 563

A.1 Direct proof 564

A.2 Proof by contradiction 565

A.3 Mathematical induction 565

B Linear algebra 567

B.1 Vectors 567

B.2 Matrices 570

B.3 Matrix partitions 571

B.4 Elementary row/column operations; Gaussian elimination 572

B.5 Solving sets of linear equalities 576

B.6 The inverse of a matrix 578

B.7 The determinant of a matrix 579

B.8 Linear and affine spaces 582

C Graph theory 585

C.1 Undirected graphs 585

C.2 Connectivity and subgraphs 586

C.3 Trees and spanning trees 588

C.4 Eulerian tours, Hamiltonian cycles, and Hamiltonian paths 589

C.5 Matchings and coverings 591

C.6 Directed graphs 592

C.7 Adjacency matrices and incidence matrices 594

C.8 Network optimization models 595

D Convexity 597

D.1 Sets, continuous functions, Weierstrass’ theorem 597

D.2 Convexity, polyhedra, polytopes, and cones 600

D.3	Faces, extreme points, and adjacency	602
D.4	Convex and concave functions	608
E	Nonlinear optimization	611
E.1	Basics	611
E.2	Nonlinear optimization; local and global minimizers	614
E.3	Equality constraints; Lagrange multiplier method	615
E.4	Models with equality and inequality constraints; Karush-Kuhn-Tucker conditions	620
E.5	Karush-Kuhn-Tucker conditions for linear optimization	624
F	Writing LO-models in GNU MathProg (GMPL)	627
F.1	Model Dovetail	627
F.2	Separating model and data	629
F.3	Built-in operators and functions	631
F.4	Generating all subsets of a set	633
	List of Symbols	635
	Bibliography	639
	Author index	645
	Subject index	647

List of Figures

1.1	Nonnegativity constraints.	4
1.2	The feasible region of Model Dovetail.	4
1.3	Level lines and the feasible region.	5
1.4	Three-dimensional picture.	5
1.5	The feasible region of Model Dovetail*.	8
1.6	Bounded and unbounded feasible regions.	11
1.7	A piecewise linear function.	18
1.8	Plot of eleven persons' federal income tax.	25
1.9	Return versus risk in the portfolio selection problem.	38
1.10	Nonconvex piecewise linear function $f(x_1)$	45
1.11	Scatter plot of the data in Table 1.5.	47
2.1	The vector \mathbf{a} is a normal of $H = \{\mathbf{x} \in \mathbb{R}^n \mid \mathbf{a}^T \mathbf{x} = b\}$	53
2.2	Normal vectors pointing out of the feasible region of Model Dovetail*.	53
2.3	Vertices of the feasible region of Model Dovetail.	56
2.4	Extreme points and directions of F	56
2.5	The feasible region of a nonstandard LO-model without vertices.	58
2.6	Three-dimensional feasible region.	59
2.7	Zero-variable representation.	67
2.8	Feasible and infeasible basic solutions.	67
2.9	Geometry-algebra relationships.	68
2.10	The set BI and its complementary dual set BI^c	70
2.11	Degenerate vertex and redundant hyperplane.	76
2.12	Pyramid with a degenerate top.	76
3.1	The feasible region of Model Dovetail.	84
3.2	The feasible region from the perspective of vertex \mathbf{v}_1	87
3.3	The feasible region from the perspective of vertex \mathbf{v}_2	88
3.4	Path taken by the simplex algorithm when applied to Model Dovetail.	89
3.5	Simplex adjacency graph corresponding to Model Dovetail.	107
3.6	The feasible region of model (3.10).	108
3.7	Simplex adjacency graph corresponding to model (3.10).	108
3.8	The feasible region of model (3.11).	111
3.9	Simplex adjacency graph corresponding to model (3.11).	111
3.10	Simplex adjacency graph of Chvátal's example.	118
3.11	Multiple optimal solutions.	131
3.12	Unbounded feasible region.	134

3.13	Simplex tableau.	140
3.14	Revised simplex tableau.	140
4.1	Complementary dual variables.	163
4.2	Complementary dual variables.	165
4.3	Unbounded primal feasible region.	171
4.4	Empty dual feasible region.	171
4.5	Polar cone.	174
4.6	Complementary dual variables.	175
4.7	Path in the dual problem taken by the simplex algorithm.	184
5.1	Level line $3x_1 + 2x_2 = 22\frac{1}{2}$	197
5.2	Level line $4x_1 + 2x_2 = 27$	197
5.3	Canting level lines.	198
5.4	Perturbation function for an objective coefficient.	198
5.5	Right hand side perturbations.	208
5.6	Perturbation function for a technology constraint.	209
5.7	Perturbation function for a nonnegativity constraint.	215
5.8	Nondecreasing, concave, piecewise linear function.	216
5.9	Perturbation function for a technology matrix entry.	221
5.10	Tolerance region.	221
5.11	Degenerate optimal solution.	222
5.12	Degenerate vertex.	225
5.13	Degenerate optimal vertex and a positive perturbation of a redundant constraint.	226
5.14	Degenerate optimal vertex \mathbf{v} and a negative perturbation of $\mathbf{v}\mathbf{v}_1\mathbf{v}_2$	226
5.15	Perturbation function for ' $\mathbf{v}_1\mathbf{v}_2\mathbf{v}$ ' in Figure 5.13 and Figure 5.14.	227
5.16	Left and right shadow prices.	228
5.17	Perturbation function for constraint (3) of model (5.12).	231
5.18	Perturbation function for nonnegativity constraint $x_2 \geq 0$ of model (5.12).	231
6.1	Interior path for model (A).	250
6.2	Logarithmic barrier function.	252
6.3	The interior path as a guiding hand.	255
6.4	Projections on null space and row space.	256
6.5	Dikin's affine scaling procedure.	258
6.6	Pointing to the interior path.	260
6.7	The vector $-\nabla B_{\bar{P}}(\mathbf{1}; \mu_k)$ points 'more or less' in the direction of $\mathbf{X}_k^{-1}\mathbf{x}(\mu_k)$	261
6.8	Approximations of interior paths.	265
6.9	Optimal objective value of the auxiliary LO-model for Model Dovetail.	271
6.10	Path taken by the interior path algorithm for the auxiliary LO-model	271
7.1	Feasible integer points of Model Dairy Corp.	281
7.2	Different solutions found by rounding the optimal LO-relaxation solution.	282
7.3	Region of Figure 7.1 that is excluded by requiring that $x_2 \leq 25$ or $x_2 \geq 26$	284
7.4	First iterations of the branch-and-bound algorithm for Model Dairy Corp.	285
7.5	Branch-and-bound tree for Model Dairy Corp.	286
7.6	Branch-and-bound tree for the knapsack problem.	293
7.7	Gantt chart for Example 7.2.5.	295

7.8	Solutions to the machine scheduling problem.	296
7.9	Branch-and-bound tree for the machine scheduling problem.	297
7.10	Piecewise linear function.	309
7.11	Feasible region consisting of integer points.	313
7.12	Adding cut constraints.	315
7.13	Branch-and-bound tree of Exercise 7.5.4.	320
7.14	Nonconvex region of Exercise 7.5.15.	324
8.1	Graph G_1 with a totally unimodular node-edge incidence matrix.	340
8.2	Graph G_2 with a node-edge incidence matrix that is not totally unimodular.	340
8.3	Digraph whose node-arc incidence matrix is totally unimodular.	343
8.4	Input for the transportation problem.	345
8.5	Optimal transportation schedule.	347
8.6	Network with capacities and costs on the arcs.	351
8.7	Network with capacities.	354
8.8	A feasible and an optimal solution of the maximum flow problem of Figure 8.7.	356
8.9	Cuts in a network.	357
8.10	The project selection problem as a maximum flow model.	361
8.11	Project network.	362
8.12	Invalid and valid project networks for Example 8.2.5.	363
8.13	Gantt chart for the solution of Figure 8.11.	365
8.14	Network of a transshipment problem.	369
8.15	Feasible tree solution.	369
8.16	Calculating the node potential vector and the reduced costs.	373
8.17	Determining an improved feasible tree solution.	375
8.18	Three iterations of the network simplex algorithm and an optimal solution.	377
8.19	Initial feasible tree for the network big-M procedure.	381
8.20	Cunningham-Klincewicz network.	382
8.21	Leaving arc rule.	384
8.22	Two-dimensional open pit.	395
9.1	The feasible region of the Klee-Minty example for $n = 3$	401
9.2	Branch-and-bound tree for $n = 3$	406
10.1	Sketch of the reservoir and the river.	414
10.2	Needed irrigation water versus the inflow.	416
10.3	Sensitivity with respect to M	419
10.4	Sensitivity with respect to γ	419
11.1	Separable learning set with 40 documents.	427
11.2	Nonseparable learning set with 40 documents.	427
11.3	The learning set of Figure 11.1 after discarding feature f_2	428
11.4	Scatter plots of relative letter frequencies.	429
11.5	Separation for a learning set.	430
11.6	Comparison of classifiers.	438
12.1	Actual versus desired production for model (PP1).	446
12.2	Two cases: overtime versus no overtime.	448

12.3	Perturbation function for γ in model (PP1).	451
12.4	Perturbation function for s_0 in model (PP1).	451
12.5	The labor input versus the number of regular employees in model (PP2).	452
12.6	Perturbation function for γ in model (PP4).	453
12.7	Perturbation function for s_0 in model (PP4).	453
12.8	Perturbation function for β in model (PP5).	454
12.9	x^* for different values of β in model (PP5).	454
14.1	The feasible region.	477
14.2	Profit and import costs as functions of the profit penalty α .	484
14.3	Penalties as functions of the profit goal.	485
14.4	Penalties as functions of the import goal.	486
14.5	Optimal production-import solutions.	490
15.1	Core of the game with $\mathbf{a} = [1 \ 1 \ 1]^T$.	500
15.2	Owen points for different distributions of farmers of Type 1, 2, and 3.	504
16.1	A cutting pattern.	514
16.2	A noninteger 'solution'.	516
17.1	Continental shelves of the North Sea.	524
17.2	Locations of the 51 platforms.	525
17.3	The limited range of the helicopters.	528
17.4	Sensitivity with respect to the helicopter capacity C .	542
17.5	An optimal traveling salesman tour.	543
17.6	Sensitivity with respect to the helicopter range R .	543
18.1	The network of the catering service problem.	550
18.2	The transshipment matrix \mathbf{A} .	551
18.3	Initial feasible tree solution.	553
18.4	Optimal solution.	554
18.5	Perturbation function for b_3 .	556
18.6	Number of purchased versus demanded napkins.	557
18.7	Tolerance region for the costs of fast and slow laundry.	558
18.8	Perturbation function for the napkin price.	559
C.1	Isomorphic graphs.	586
C.2	The graph K_5 .	587
C.3	The graph $K_{3,3}$.	587
C.4	Trees.	588
C.5	The bridges of Kaliningrad and the corresponding graph.	589
C.6	The Hamiltonian cycles of K_4 .	590
C.7	A maximum matching.	591
C.8	A perfect matching.	591
C.9	A node-covering.	592
C.10	A minimum node-covering.	592
C.11	The unit-cube graph in \mathbb{R}^3 .	592
C.12	Nonbipartite graph G that satisfies $\nu(G) = \tau(G)$.	592

C.13	A digraph and its underlying graph.	593
C.14	Digraph that is not strongly connected.	594
C.15	Weighted digraph.	595
D.1	Examples of a convex and a nonconvex set in \mathbb{R}^2	599
D.2	Writing the vertex \mathbf{x}^0 as a convex combination of vertices of F	605
E.1	The functions $f(x) = x^2$ and $h(x) = \hat{x}^2 + 2\hat{x}(x - \hat{x})$	612
E.2	The functions $f(x) = x $ and $h(x) = \hat{x} + \alpha(x - \hat{x})$	612
E.3	Global and local minimizers and maximizers of the function $f(x) = \frac{\cos(2\pi x)}{x}$	615
E.4	Consumer choice model.	616
E.5	The feasible region of the model in Example E.4.1.	621
E.6	Nonlinear optimization model for which the KKT conditions fail.	623

List of Tables

1.1	Federal income tax data for eleven persons.	25
1.2	Inputs and outputs for ten universities.	30
1.3	Data envelopment analysis results.	34
1.4	Rates of return, expected rates of return, and mean absolute deviations.	35
1.5	Ages and salaries of twenty employees of a company.	47
4.1	Dualization rules for nonstandard LO-models.	158
4.2	Symmetric duality combinations.	172
4.3	Concepts of the primal simplex algorithm and the dual simplex algorithm.	188
5.1	Perturbations $\delta = -2, -1, 0, 1, 2, 3, 4$	199
5.2	Perturbations $\delta = -4, -3, -2, -1, 0, 1, 2$	209
5.3	Example LO-package output for model (5.12).	229
7.1	Knapsack problem inputs.	290
7.2	Ratio ranking.	292
7.3	Setup and reset times.	294
7.4	Propositional connectives and constraints.	304
7.5	Connective truth table.	305
7.6	Truth table of the compound proposition $(\neg P_1 \wedge P_2) \vee (P_1 \wedge \neg P_2)$	305
7.7	Data for the decentralization problem.	310
7.8	Data for company Whattodo.	326
7.9	Weekly use of different types of pigment and corresponding prices per kg.	326
7.10	Project data for Exercise 7.5.27.	329
7.11	The distances between the 14 locations (in units of 50 meters) for Exercise 7.5.28.	331
8.1	Input data corresponding to the network of Figure 8.6.	352
8.2	Projects and machines.	360
8.3	Network simplex cycle.	383
9.1	Growth of functions.	399
10.1	Monthly quantities of irrigation water and inflow water.	415
11.1	Relative letter frequencies (in percentages) of several newspaper articles.	426
11.2	Validation results for the classifier.	432
12.1	Input data.	445

13.1	Initial inventories and demands.	461
13.2	Optimal values of x_{it} for model (13.5).	462
13.3	Optimal values of s_{it} for model (13.5).	463
13.4	Optimal values of x_{it} for model (13.7).	464
13.5	Optimal values of r_{it} for model (13.7).	465
13.6	Optimal values of s_{it} for model (13.7).	466
13.7	Optimal full-week production values δ_{it}	467
13.8	Number of conveyor belts versus total backlog.	468
13.9	Perturbing c_{24} in model (13.5).	469
13.10	Old and new backlogs.	469
14.1	Input data for Plastics International.	474
14.2	Optimal solutions for the separate objectives.	475
14.3	Computer output, optimal solution of (O3).	480
14.4	Optimal production-import schedule for model (O3).	481
15.1	Resources required for the production of the biscuits.	494
15.2	Optimal production schedules in the case of three farmers.	499
15.3	Sensitivity analysis.	507
16.1	Order package.	514
16.2	A number of cutting patterns.	514
16.3	Optimal solution.	520
17.1	Coordinates of the platforms.	524
17.2	Demanded crew exchanges.	536
17.3	Noninteger optimal solution of model (RFF).	537
17.4	Dual optimal values.	538
17.5	A feasible flight schedule.	540
17.6	Comparing fifteen input instances for the round-off algorithm.	541
18.1	Number of demanded napkins.	548
18.2	A feasible decision sequence.	549
18.3	An optimal schedule.	555